




Estimation of National Economic Benefits Using the National Water Pollution Control Assessment Model to Evaluate Regulatory Options for Concentrated Animal Feeding Operations

December 2002



U.S. Environmental Protection Agency
Office of Water (4303T)
1200 Pennsylvania Avenue, NW
Washington, DC 20460

EPA-821-R-03-009

**Estimation of National Economic Benefits
Using the National Water Pollution Control Assessment
Model to Evaluate Regulatory Options for Concentrated
Animal Feeding Operations**

Christine Todd Whitman
Administrator

G. Tracy Mehan III
Assistant Administrator, Office of Water

Sheila E. Frace
Director, Engineering and Analysis Division

Linda Chappell
Economist

Lisa McGuire
Environmental Scientist

Christopher Miller
Economist

Engineering and Analysis Division
Office of Science and Technology
U.S. Environmental Protection Agency
Washington, D.C. 20460

December 2002

ACKNOWLEDGMENTS AND DISCLAIMER

This report was prepared by RTI International under the direction and review of the Office of Science and Technology.

Neither the United States government nor any of its employees, contractors, subcontractors, or other employees makes any warranty, expressed or implied, or assumes any legal liability or responsibility for any third party's use of, or the results of such use of, any information, apparatus, product, or process discussed in this report, or represents that its use by such a third party would not infringe on privately owned rights.

Table of Contents

Section	Page
Executive Summary	ES-1
1.0 Introduction	1-1
1.1 Background	1-1
1.2 Focus of Report	1-1
1.3 Report Overview	1-2
2.0 NWPCAM System	2-1
2.1 Spatial and Environmental Databases	2-4
2.1.1 Hydrologic Routing File	2-5
2.1.2 Land-Use/Land-Cover File	2-6
2.1.3 RF3 Hydrologic Data	2-8
2.1.4 Overland Transport Hydrologic Data	2-14
2.1.5 PS Loadings Data Set	2-16
2.1.6 NPSs (Non-AFO) Loadings Data Set	2-16
2.2 Kinetics	2-20
2.2.1 Carbonaceous Biochemical Oxygen Demand	2-21
2.2.2 Nitrogen Species	2-22
2.2.3 Phosphorus Species	2-23
2.2.4 Dissolved Oxygen	2-23
2.2.5 Total Suspended Solids (TSS)	2-28
2.2.6 Pathogens	2-29
2.2.7 Other Processes	2-29
3.0 AFO/CAFO Modeling Process	3-1
3.1 Changes to NWPCAM Since the Proposed Rulemaking	3-1
3.2 AFO/CAFO Input Files	3-3
3.3 Methodology	3-4
3.3.1 Method for Distributing AFO/CAFO Loadings	3-5
3.3.2 Routing AFO/CAFO Loads to RF3 Reaches	3-7
3.3.3 Routing AFO/CAFO Loads to RF3Lite Reaches	3-7
3.3.4 In-Stream Modeling in the RF3Lite network	3-7
3.3.5 Water Quality Assessment Ladder	3-7
3.3.6 Economic Benefits Calculations Using the WQL	3-8
3.3.7 Water Quality Index	3-9
3.3.8 Economic Benefits Analysis Using the WQI6	3-10
4.0 Results of AFO/CAFO Analyses	4-1
4.1 AFO/CAFO Loadings	4-1
4.2 Economic Benefits	4-3
4.3 Discussion of Benefit Results	4-4

Table of Contents (continued)

Section		Page
5.0	Quality Assurance	5-1
5.1	Reviewing Hydrologic Inputs	5-1
5.2	Model Robustness	5-1
5.3	Data Processing	5-2
5.4	Modeling Results	5-2
6.0	References	6-1

List of Figures
Figure

1	Overview of AFO/CAFO benefits analysis process	2-2
2	Comparison of drainage area estimates between NWPCAM and HCDN	2-10
3	Map of the hydroregions from USGS	2-11
4	Average annual runoff by cataloging unit	2-12
5	USGS runoff contour map showing average annual runoff for the conterminous 48 states	2-13
6	Predominant ecoregions in cataloging units	2-18
7	Mosaic Composite of Spatial Data at the Watershed (HUC) Level	3-5
8	Total nitrogen loadings (g/s) by county FIPS code for baseline	5-3

List of Tables
Table

1	NWPCAM 1.6 Modules	2-2
2	Data Elements of NWPCAM 1.6	2-4
3	Key Fields of the RF3 Routing Data File	2-6
4	Key Fields of the Land-Use/Land-Cover Data File	2-7
5	Anderson and NWPCAM Land-Cover Classes	2-7
6	Key Fields of NWPCAM 1.6 Hydrologic Data	2-9
7	Refined Hydrology in the Western Hydroregions	2-11
8	Total Loadings for PSs	2-16
9	Speciation Factors for Nitrogen and Phosphorus	2-17
10	Total Loadings for PSs at the RF3Lite Scale	2-18
11	Total Loadings on Land-Use/Land-Cover Cells for NPSs	2-20
12	Total Loadings for NPSs at the RF3 and RF3Lite Scale	2-21
13	CBODU:BOD5 Ratios for PSs	2-23
14	SPARROW Coefficients	2-23
15	Kinetic Parameters for Nitrogen Species	2-24

List of Tables (continued)

Table

16	Depth (H) and Velocities (U) Ranges, Reaeration Formulations, and Coefficients for Owens et al., Churchill, and O’Connor-Dobbins	2-28
17	Summary of Differences in NWPCAM Versions Used for the Proposed Rulemaking and Final Rulemaking	3-1
18	Water Quality Ladder Threshold Concentrations	3-7
19	Original and Revised Weights for WQI Parameters	3-10
20	National AFO/CAFO Loadings on Agricultural Cells	4-1
21	AFO/CAFO Nutrient/Pollutant Loadings to RF3 Rivers/Streams	4-2
22	AFO/CAFO Delivery Ratios to the RF3 Network	4-2
23	AFO/CAFO Nutrient/Pollutant Loadings to RF3Lite Network	4-2
24	AFO/CAFO Delivery Ratios to the RF3Lite Network	4-2
25	Annual Economic Benefits Using the WQL	4-3
26	Annual Economic Benefits Using the WQI	4-3
27	Verification of Loads Distribution Module	5-2

Executive Summary

One goal of the Clean Water Act (CWA) is to improve water quality conditions of the nation's waters to attain "fishable and swimmable" status nationwide. In support of this goal, the U.S. Environmental Protection Agency (EPA) is revising the National Pollutant Discharge Elimination System (NPDES) program regulations and the effluent limitation guidelines (ELGs) for concentrated animal feeding operations (CAFOs). Changes to the NPDES regulations affect which animal feeding operations (AFOs) are considered CAFOs and are therefore subject to the NPDES permit program. Changes to the ELG determine what technology-based requirements apply to CAFOs.

RTI applied the National Water Pollution Control Assessment Model (NWPCAM) to estimate national economic benefits to surface water quality resulting from implementation of new regulations for CAFOs (including revision of NPDES permit regulations and the ELGs for CAFOs). NWPCAM is a national-scale water quality model for simulating the water quality and economic benefits that result from various water pollution control policies. NWPCAM is designed to characterize water quality for the nation's network of rivers and streams and, to a more limited extent, its lakes. NWPCAM is able to translate spatially varying water quality changes resulting from different pollution control policies into terms that reflect the value individuals place on water quality improvements. In this way, NWPCAM is capable of deriving economic benefit estimates for scenarios for regulating CAFOs.

Economic benefits associated with the various AFO/CAFO scenarios are calculated using two estimation methods. The first is based on the Vaughn Water Quality Ladder (WQL), which calculates changes in water quality use-support (i.e., boatable, fishable, swimmable) and the population benefitting from the changes. The second method uses a six-parameter Water Quality Index (WQI6), which represents a composite measure of water quality. Benefits are calculated for each state at the local and nonlocal scales. Local benefits represent the value that a state population is willing to pay for improvements to waters within the state. Nonlocal benefits represent the value that a state population is willing to pay for improvements to waters in all other states in the conterminous 48 states.

Based on the WQL estimation method, the sum of local and nonlocal benefits represented a total willingness to pay (WTP) of \$102 to \$166 million (2001 dollars). Using the WQI6 estimation method, the sum of local and nonlocal benefits represented a total WTP of \$182 to \$298 million (2001 dollars).

1.0 Introduction

1.1 Background

Enactment of PL 92-500 in 1972, known as the Clean Water Act (CWA), established a national water pollution control policy based on technology-driven effluent standards for industrial wastewaters and a minimum level of secondary treatment for municipal wastewaters discharged to surface waters. The goal of the CWA was to improve water quality conditions of the nation's waters to attain "fishable and swimmable" status nationwide. The CWA requires that all point sources (PSs) discharging pollutants into U.S. waters obtain a permit under the National Pollutant Discharge Elimination System (NPDES) program. The purpose of the NPDES program is to protect human health and the environment by controlling the types and amounts of pollutants that can be discharged into U.S. waters. NPDES permits implement a multifaceted approach to protecting water quality. At the core of these permits is a two-pronged pollution control strategy that incorporates both technology-based effluent limitation guidelines (ELGs) and more stringent site-specific limits based on water quality considerations.

The U.S. Environmental Protection Agency (EPA) is revising the NPDES regulations for concentrated animal feeding operations (CAFOs) and the ELGs for feedlots. Although similar changes are being considered regarding both regulations, the effects of such changes are different under each. Proposed changes to the NPDES regulations for CAFOs affect which animal feeding operations (AFOs) are considered CAFOs and are therefore subject to the NPDES permit program. Changes to the ELG regulations for feedlots determine the technology-based requirements that apply to CAFOs.

1.2 Focus of Report

This report presents the findings of modeling efforts conducted by RTI that were designed to estimate national economic benefits to surface water quality resulting from implementation of various rulemaking scenarios for regulating CAFOs. These scenarios include revision of both NPDES permit regulations and ELG regulations for CAFOs. Regulatory scenarios assessed include the following:

Baseline -	Current regulations (AFOs are considered CAFOs if certain criteria are met.)
RTI Scenario 1 -	ELG P-based, >1,000 animal units (AU) (AFOs with > 1000 AU are considered CAFOs, whereas AFOs with < 1000 AU are not affected. CAFOs are subject to 100 ft setback for manure application and phosphorus-based requirements, as necessary.)

RTI Scenario 2 - ELG N-based, > 1,000 AU (AFOs with > 1000 AU are considered CAFOs, whereas AFOs with < 1000 AU are not affected. CAFOs are subject to 100 ft setback for manure application and nitrogen-based requirements, as necessary.)

The National Water Pollution Control Assessment Model (NWPCAM) version 1.6 was used to conduct the water quality and economic benefits analyses. NWPCAM version 1.5 was used during the CAFO proposed rulemaking process. Modifications made to NWPCAM 1.5 for the CAFO proposed rule application are described in EPA (2000). Changes made to NWPCAM 1.6 since the proposed rulemaking process are described in Section 2 of this report. Changes to the model since proposal include

- Revisions to the methodology used to distribute AFO/CAFO loadings to agricultural land use cells;
- New reach network for in-stream modeling of pollutants;
- New methodologies for estimating hydraulic parameters;
- Updated inventories of point source and nonpoint source loadings; and
- Enhanced water quality kinetics.

1.3 Report Overview

Section 2.0 contains a detailed description of the NWPCAM 1.6 modeling system. Section 3.0 outlines the processes associated with the AFO/CAFO modeling process. Section 4.0 presents results from the AFO/CAFO modeling process. Section 5 describes measures taken to reduce the errors and uncertainties in the AFO/CAFO analysis. Section 5 describes measures taken to reduce the errors and uncertainties in the AFO/CAFO analysis.